QUICK REFERENCE GUIDE > OR30SDG4X1

Gas Range, 30"

Series 7 | Contemporary

Stainless Steel



Add contemporary style to your kitchen, and enjoy the instant response and precision of a gas-fueled oven and cooktop.

- Four burner gas cooktop, with two dual ring wok burners
- Gas oven with 3.5 cu ft total capacity
- Three oven functions: Bake, Convection Bake and Maxi Broil

DIMENSIONS

Height 35 3/4 - 37 5/8"

Width 29 7/8"

Depth 25 1/4"

FEATURES & BENEFITS

DESIGN QUALITY

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials all add up to an exceptional, premium range.

LARGE CAPACITY OVEN

The large 3.5cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

PERFORMANCE POWER

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

EASY CLEANING

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

SPECIFICATIONS

Accessories

2-pc grill system (Broil pan and

Broil pan

Broil rack

Chromed shelf runners

1 set

Full extension telescopic

2 sets (part 578776)

Small pot support 1 (part 533981 cast)

Accessories (sold separately)

Kick strip, stainless steel KICKOR30X1

Burner ratings

Dual wok burner inner/outer 1000 - 18000BTU

Dual wok burner inner/outer 1000 - 18000BTU

Maximum burner power 18000 BTU

Semi-rapid burner (LPG) 1500 - 7600BTU

Semi-rapid burner (natural 1500 - 8000BTU

Total cooktop power 52000 BTU

Capacity

Shelf positions 7

Total capacity 3.5cu ft

Usable capacity 2.7cu ft

Cleaning

Acid resistant graphite enamel

Dishwasher proof grates

Removable oven door

Removable shelf runners

Controls

Laser etched graphics

Gas Requirements

Supply Pressure (LPG) 11" W.C.P
Supply Pressure (natural gas) 4" W.C.P

QUICK REFERENCE GUIDE > OR30SDG4X1

Oven features			
Auto re-ignition system	•		
Concealed element Convection Electronic ignition Full extension telescopic	•		
		Internal light	2 x 25W halogen (rear)
		Soft open/close door	•
		Storage drawer	•
Oven functions			
Bake	•		
Convection bake	•		
Maxi Broil	•		
Number of functions	3		
Oven performance			
Bake power	14000 BTU		
Broil	11000 BTU		
CoolTouch door	Triple glazed		
Power requirements			
Amperage	15A		
Supply frequency	60Hz		
Supply voltage	120V		
Product dimensions			
Depth	25 1/4"		

Height	35 3/4 - 37 5/8"
Width	29 7/8"
Rangetop features	
Hob rail	•
LPG/Natural gas compatible	•
Sealed range top	•
Rangetop Performance	
Number of burners	4
Safety	
ADA compliant	•
Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
CoolTouch door	•
Full extension telescopic	•
Non-tip shelves	•
Spill containment	1/2 gallon
Warranty	
Parts and labor	2 years
SKU	82763

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and

Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

specifications may change at any time. You should therefore check with Fisher &

QUICK REFERENCE GUIDE > OR30SDG4X1 Date: 26.10.2023 > 3

Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide Freestanding Range



Installation Guide EN / Guide d'installation FR



Data Sheet Gas Range



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com