QUICK REFERENCE GUIDE > RS2484SRK1 Date: 26.10.2023 > 1

# Integrated Column Refrigerator, 24"

Series 11 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for seamless integration - this model is right hinge with stainless steel interior.


- ActiveSmart<sup>™</sup> technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Fridge, Pantry or Chill
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

# **DIMENSIONS**

 Height
 84"

 Width
 23 3/4"

 Depth
 24"



# **FEATURES & BENEFITS**

## VARIABLE TEMPERATURE ZONES

Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.

### MIX & MATCH

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

## CLEVER ENERGY

Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

#### APPEALING ILLUMINATION

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

## **DESIGN QUALITY**

The premium design and quality finish includes a steel interior lining as well as soft-close, full extension metal shelf runners for easy access and robust glass shelving.

## **EASY INSTALL**

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

#### PERFECT FIT

These models fit flush and have only ½" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

# **SPECIFICATIONS**

### Accessories (sold separately)

| 24" Right hinge RD2484R4D | Door panel stainless steel |
|---------------------------|----------------------------|
| AHS-RD84                  | Handle kit Contemporary    |
| AHD5RDSF 25863            | Handle kit Contemporary    |
| AHD5RDSFB 25908           | Handle kit Contemporary    |
| AHD3-RD84                 | Handle kit Contemporary    |

QUICK REFERENCE GUIDE > RS2484SRK1 Date: 26.10.2023 > 2

| Gallon door shelves            | 1           | Packaged weight                              | 275lbs                |
|--------------------------------|-------------|--|-----------------------|
| Fruit and vegetable bins       | 4           | Product information                          |                       |
| Door alarm                     | •           |  |                       |
| Covered door shelves           | 1           | Width  | 23 3/4"               |
| Adjustable glass cantilevered  | •           | Height                                       | 84"                   |
| Adjustable door shelves        | 4           | Depth  | 24"                   |
| Features                       |             | Product dimensions                           |                       |
| Energy usage                   | 232kWh/year | Supply voltage                               | 115V                  |
| Energy rating                  | Energy star | Supply frequency                             | 60Hz                  |
| Consumption                    |             | Rated current                                | 10A                   |
|                                |             | Power requirements                           |                       |
| Volume refrigerator            | 12.4cu ft   | randole temperature zones                    |                       |
| Volume                         | 12.4cu ft   | Variable temperature zones                   | 2                     |
| Total gross capacity           | 12.4cu ft   | Variable food modes                          | Pantry; Fridge; Chill |
| Capacity                       |             | Inverter controlled compressor  Sabbath mode | •                     |
| Toe kick stainless steel 84"   | AKRS8404    | Humidity control system                      | •                     |
| Toe kick stainless steel 78"   | AKRS7804    | Frost free                                   | •                     |
| Toe kick stainless steel 72"   | AKR\$7204   | Dual evaporator                              | •                     |
| Toe kick stainless steel 66"   | AKRS6604    | ActiveSmart™ Foodcare                        | •                     |
| Toe kick stainless steel 60"   | AKRS6004    | Performance                                  |                       |
| Toe kick stainless steel 54"   | AKRS5404    |  |                       |
| Toe kick stainless steel 48"   | AKRS4804    | Stackable bottle holders                     | 4                     |
| Toe kick stainless steel 42"   | AKRS4204    | Soft-close fruit and vegetable               | •                     |
| Toe kick stainless steel 24"   | AKRS2404    | SmartTouch interface at                      | •                     |
| Joiner kit                     | AJ-RS84LR   | LED side lighting                            | •                     |
| Handle kit Professional square | AHV2-RD84   | LED lighting                                 | •                     |
| Handle kit Professional round  | AHP3RDSF    | LED ceiling lighting                         | •                     |
| Handle kit Professional round  | AHC-RD84    | LED bin lighting                             | •                     |

| Unpackaged weight                             | 258lbs                        |
|---|-------------------------------|
| Safety and compliance ADA compliant           |                               |
| Warranty                                      |                               |
| Parts and labor Sealed system parts and labor | 2 years<br>additional 3 years |
| SKU   | 26121                         |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > RS2484SRK1 Date: 26.10.2023 > 3

# Other product downloads available at fisherpaykel.com



Oser Guide





Service & Warranty

Installation Guide

Installation Guide - Toe Kick

Specification Guide Integrated Column Refrigerator

Data Sheet Integrated Column Refrigerator

 Data Sheet Integrated Column Refrigerator Dual Install (18" + 24")

Data Sheet Integrated Column Refrigerator Dual Install (24" + 24")

Data Sheet Integrated Column Refrigerator Dual Install (24" + 30")

Planning Guide Integrated Column Refrigerator

Key Purchase Decisions Integrated Column Refrigerator



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

 ${f T}$  1.888.936.7872  ${f W}$ www.fisherpaykel.com